

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|--------|---|---------------------------------|---------------------|
| 1 | 5 | (("6134592") or ("6253234") or ("6286045") or ("6437803") or ("6529936")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/10/07 11:57 |
| - | 72 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/10/07 11:57 |
| - | 0 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN.) and (client adj processing) and (definition and (state adj change) and command) and message definition or (state adj change) or command | USPAT; US-PGPUB; EPO; JPO | 2002/02/08 14:43 |
| - | 467698 | | USPAT; US-PGPUB; EPO; JPO | 2003/09/10 07:37 |

| | | | | |
|---|-------|--|---------------------------------|---------------------|
| - | 2846 | message adj processing | USPAT; US-PGPUB; EPO; JPO | 2002/02/08 14:46 |
| - | 21150 | client and server | USPAT; US-PGPUB; EPO; JPO | 2002/02/08 14:46 |
| - | 340 | (definition or (state adj change) or command) and (message adj processing) and (client and server) | USPAT; US-PGPUB; EPO; JPO | 2003/09/23 15:09 |
| - | 2 | ((definition or (state adj change) or command) and (message adj processing) and (client and server)) and application and (receiv\$ adj message) and (remote adj device) | USPAT; US-PGPUB; EPO; JPO | 2002/02/08 14:51 |
| - | 325 | ((definition or (state adj change) or command) and (message adj processing) and (client and server)) and application | USPAT; US-PGPUB; EPO; JPO | 2002/02/08 15:15 |
| - | 238 | header and definition? and (state adj change?) and command? | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 14:38 |
| - | 11 | ((definition or (state adj change) or command) and (message adj processing) and (client and server)) and application and (header and definition? and (state adj change?) and command?) | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 14:55 |
| - | 327 | (definition or (state adj change) or command) and (message adj processing) and (client and server) and application | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 14:32 |
| - | 29 | ((definition or (state adj change) or command) and (message adj processing) and (client and server) and application) and 709/219 | USPAT; US-PGPUB; EPO; JPO | 2002/07/15 07:34 |
| - | 6889 | gui | USPAT; US-PGPUB; EPO; JPO | 2003/05/04 14:44 |
| - | 327 | (definition or (state adj change) or command) and (message adj processing) and (client and server) and application | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 14:37 |
| - | 21312 | client and server | USPAT; US-PGPUB; EPO; JPO | 2002/02/17 16:37 |
| - | 76 | gui and ((definition or (state adj change) or command) and (message adj processing) and (client and server) and application) and (client and server) | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 14:39 |
| - | 1660 | (definition or (state adj change) or command) and (message adj processing) | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 14:50 |
| - | 239 | header and definition? and (state adj change?) and command? | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 14:38 |

| | | | | |
|---|--------|--|---------------------------------|---------------------|
| - | 23 | gui and (header and definition? and (state adj change?) and command?) and (client and server) and (header and definition? and (state adj change?) and command?) | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 14:54 |
| - | 232495 | arc | USPAT; US-PGPUB; EPO; JPO | 2002/02/17 16:37 |
| - | 1 | (gui and (header and definition? and (state adj change?) and command?) and (client and server) and (header and definition? and (state adj change?) and command?)) and arc | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 15:11 |
| - | 83 | (definition and (state adj change) and command) and (message adj processing) | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 15:11 |
| - | 2 | ("6088717") or ("6044205").PN. | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 14:58 |
| - | 2 | ((definition and (state adj change) and command) and (message adj processing)) and 709/219 | USPAT; US-PGPUB; EPO; JPO | 2002/02/15 15:11 |
| - | 232495 | arc | USPAT; US-PGPUB; EPO; JPO | 2002/02/17 16:37 |
| - | 21312 | client and server | USPAT; US-PGPUB; EPO; JPO | 2002/02/17 16:37 |
| - | 377 | arc and (client and server) | USPAT; US-PGPUB; EPO; JPO | 2002/02/17 16:43 |
| - | 5 | message with (header and definition and (state adj change) and command) | USPAT; US-PGPUB; EPO; JPO | 2002/02/17 16:40 |
| - | 14 | (arc and (client and server)) and (remote adj device) | USPAT; US-PGPUB; EPO; JPO | 2002/02/17 16:44 |
| - | 1 | ("6212560").PN. | USPAT; US-PGPUB; EPO; JPO | 2002/07/11 13:43 |
| - | 1 | ("6044382").PN. | USPAT; US-PGPUB; EPO; JPO | 2002/07/11 13:44 |
| - | 30 | ("4591662" "4598171" "4689478" "4776016" "4813013" "4835372" "4851999" "4858121" "4860342" "4937439" "4972462" "4984155" "4991199" "5008927" "5047960" "5189632" "5195086" "5195130" "5204813" "5278751" "5301105" "5333266" "5351076" "5365577" "5410646" "5416831" "5572421" "5704029" "5757655" "5805676").PN. | USPAT | 2002/07/12 15:04 |

| | | | | |
|---|----|--|---------------------------------|---------------------|
| - | 0 | <p>(("6212560").PN.) and message and form and before and command and definition and key and menu and button and GUI</p> | USPAT; US-PGPUB; EPO; JPO | 2002/07/11 13:46 |
| - | 0 | <p>((4591662" "4598171" "4689478" "4776016" "4813013" "4835372" "4851999" "4858121" "4860342" "4937439" "4972462" "4984155" "4991199" "5008927" "5047960" "5189632" "5195086" "5195130" "5204813" "5278751" "5301105" "5333266" "5351076" "5365577" "5410646" "5416831" "5572421" "5704029" "5757655" "5805676").PN.) and message and form and before and command and definition and key and menu and button and GUI</p> | USPAT; US-PGPUB; EPO; JPO | 2002/07/11 13:46 |
| - | 1 | <p>((4591662" "4598171" "4689478" "4776016" "4813013" "4835372" "4851999" "4858121" "4860342" "4937439" "4972462" "4984155" "4991199" "5008927" "5047960" "5189632" "5195086" "5195130" "5204813" "5278751" "5301105" "5333266" "5351076" "5365577" "5410646" "5416831" "5572421" "5704029" "5757655" "5805676").PN.) and message and form and before and command and definition and key and menu and button and GUI</p> | USPAT; US-PGPUB; EPO; JPO | 2002/07/11 14:00 |
| - | 30 | <p>((4591662" "4598171" "4689478" "4776016" "4813013" "4835372" "4851999" "4858121" "4860342" "4937439" "4972462" "4984155" "4991199" "5008927" "5047960" "5189632" "5195086" "5195130" "5204813" "5278751" "5301105" "5333266" "5351076" "5365577" "5410646" "5416831" "5572421" "5704029" "5757655" "5805676").PN.) and message and form and before and command and definition and key and menu and button and GUI</p> | USPAT | 2002/07/11 13:49 |
| - | 1 | <p>((4591662" "4598171" "4689478" "4776016" "4813013" "4835372" "4851999" "4858121" "4860342" "4937439" "4972462" "4984155" "4991199" "5008927" "5047960" "5189632" "5195086" "5195130" "5204813" "5278751" "5301105" "5333266" "5351076" "5365577" "5410646" "5416831" "5572421" "5704029" "5757655" "5805676").PN.) and message and form and before and command and definition and key and menu and button and GUI</p> | USPAT; US-PGPUB; EPO; JPO | 2002/07/11 14:01 |

| | | | | |
|---|-------|---|--|------------------|
| - | 1 | <p>(("4591662" "4598171" "4689478" "4776016" "4813013" "4835372" "4851999" "4858121" "4860342" "4937439" "4972462" "4984155" "4991199" "5008927" "5047960" "5189632" "5195086" "5195130" "5204813" "5278751" "5301105" "5333266" "5351076" "5365577" "5410646" "5416831" "5572421" "5704029" "5757655" "5805676").PN.) and message and form and command and definition and key and menu</p> | USPAT; US-PPGPUB; EPO; JPO | 2002/07/11 14:01 |
| - | 3 | <p>(("4591662" "4598171" "4689478" "4776016" "4813013" "4835372" "4851999" "4858121" "4860342" "4937439" "4972462" "4984155" "4991199" "5008927" "5047960" "5189632" "5195086" "5195130" "5204813" "5278751" "5301105" "5333266" "5351076" "5365577" "5410646" "5416831" "5572421" "5704029" "5757655" "5805676").PN.) and message and form and command and definition and menu</p> | USPAT; US-PPGPUB; EPO; JPO | 2002/07/11 14:42 |
| - | 2566 | 709/219 | USPAT; US-PPGPUB; EPO; JPO | 2002/07/11 14:42 |
| - | 13078 | (process\$3 or creat\$3) near2 form and command and definition and state and messageand client and server and remote | USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:16 |
| - | 2031 | ((process\$3 or creat\$3) near2 form and command and definition and state and messageand client and server and remote) and GUI | USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:17 |
| - | 1846 | ((process\$3 or creat\$3) near2 form and command and definition and state and messageand client and server and remote) and GUI) and (prior or before) | USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:17 |
| - | 465 | (((process\$3 or creat\$3) near2 form and command and definition and state and messageand client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option) | USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:18 |

| | | | | |
|---|-----|---|---|------------------|
| - | 0 | ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option)) and (send\$3 near2 message) and (recogniz\$3 near dependence) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:19 |
| - | 249 | ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option)) and (send\$3 near2 message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:19 |
| - | 201 | ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option)) and (send\$3 near2 message)) and (receiv\$3 near2 message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:21 |
| - | 161 | ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option)) and (send\$3 near2 message)) and (receiv\$3 near2 message)) and processor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 07:21 |
| - | 23 | ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option)) and (send\$3 near2 message)) and (receiv\$3 near2 message)) and processor) and (updat\$3 near2 state) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 08:37 |
| - | 12 | ("4907283" "4955066" "4974191" "5530861" "5544352" "5598557" "5623406" "5704060" "5729730" "5754712" "5764906" "5768578").PN. | USPAT | 2002/07/12 08:13 |
| - | 2 | "12" and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 08:37 |
| - | 2 | ("12" and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote)) and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 08:38 |

| | | | | |
|---|----|--|---|---------------------|
| - | 2 | ("12" and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote)) and (((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 08:39 |
| - | 0 | ("12" and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote)) and (((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 08:39 |
| - | 23 | ((((((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option)) and (send\$3 near2 message)) and (receiv\$3 near2 message)) and processor) and (updat\$3 near2 state)) and form | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 08:48 |
| - | 2 | ((((((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) and GUI) and (prior or before)) and (select\$3 near2 option)) and (send\$3 near2 message)) and (receiv\$3 near2 message)) and processor) and (updat\$3 near2 state)) and 709/219 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 10:17 |
| - | 62 | definition and (state adj changes) and command and client and server and GUI and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/13 09:05 |
| - | 7 | (definition and (state adj changes) and command and client and server and GUI and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote)) and 709/219 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 10:39 |
| - | 62 | (definition and (state adj changes) and command and client and server and GUI and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote)) and form | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 10:39 |
| - | 3 | (definition and (state adj changes) and command and client and server and GUI and ((process\$3 or creat\$3) near2 form and command and definition and state and message and client and server and remote)) and (creat\$3 adj form) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 10:39 |

| | | | | |
|---|---------|---|---|---------------------|
| - | 12 | ("4907283" "4955066" "4974191" "5530861" "5544352" "5598557" "5623406" "5704060" "5729730" "5754712" "5764906" "5768578").PN. | USPAT | 2002/07/12 12:33 |
| - | 14 | instant adj text | USPAT | 2002/07/12 15:09 |
| - | 1142499 | message with command or state or definition | USPAT | 2003/05/03 11:05 |
| - | 2732 | message with command and state and definition | USPAT | 2002/07/12 15:10 |
| - | 354 | (message with command and state and definition) and client and server and (receiv\$3 near2 message) and (send\$3 near2 message) | USPAT | 2002/07/12 15:12 |
| - | 3 | ((message with command and state and definition) and client and server and (receiv\$3 near2 message) and (send\$3 near2 message)) and 709/219) and (process\$3 near2 definition) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 15:14 |
| - | 3 | ((message with command and state and definition) and client and server and (receiv\$3 near2 message) and (send\$3 near2 message)) and 709/219) and (process\$3 near2 definition) and form | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/12 15:14 |
| - | 44 | ((message with command and state and definition) and client and server and (receiv\$3 near2 message) and (send\$3 near2 message)) and 709/219 | USPAT | 2002/07/12 15:16 |
| - | 590 | definition and state and changes and command and client and server and GUI | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/13 09:09 |
| - | 43 | (definition and state and changes and command and client and server and GUI) and (creat\$3 near2 form) and (before or prior) | USPAT; US-PGPUB; EPO; JPO | 2002/07/13 09:46 |
| - | 43 | (definition and state and changes and command and client and server and GUI) and (creat\$3 near2 form) and (before or prior) | USPAT; US-PGPUB; EPO; JPO | 2002/07/13 09:46 |
| - | 11 | (("5333266") or ("5410646") or ("5852825") or ("5940075") or ("5973696") or ("5974413") or ("5978828") or ("6289378") or ("6336135")).PN. | USPAT; US-PGPUB; EPO; JPO | 2002/07/15 07:36 |
| - | 3397 | 709/217 | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:48 |
| - | 2143 | 709/218 | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:07 |

| | | | | |
|---|------|---|---------------------------------|---------------------|
| - | 1584 | 709/220 | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:49 |
| - | 1162 | 709/221 | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:49 |
| - | 745 | 709/222 | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:49 |
| - | 433 | 709/217 and GUI | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:07 |
| - | 290 | 709/218 and GUI | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:50 |
| - | 187 | 709/220 and GUI | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:50 |
| - | 147 | 709/221 and GUI | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:50 |
| - | 76 | 709/222 and GUI | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:50 |
| - | 117 | (709/217 and GUI) and state and command and definition | USPAT; US-PGPUB; | 2002/12/05 16:07 |
| - | 87 | (709/218 and GUI) and state and command and definition | USPAT; US-PGPUB; | 2002/12/05 15:51 |
| - | 55 | (709/220 and GUI) and state and command and definition | USPAT; US-PGPUB; | 2002/12/05 15:51 |
| - | 40 | (709/221 and GUI) and state and command and definition | USPAT; US-PGPUB; | 2002/12/05 15:51 |
| - | 21 | (709/222 and GUI) and state and command and definition | USPAT; US-PGPUB; | 2002/12/05 15:52 |
| - | 109 | ((709/217 and GUI) and state and command and definition) and message | USPAT; US-PGPUB; | 2002/12/05 16:07 |
| - | 79 | ((709/218 and GUI) and state and command and definition) and message | USPAT; US-PGPUB; | 2002/12/05 15:53 |
| - | 51 | ((709/220 and GUI) and state and command and definition) and message | USPAT; US-PGPUB; | 2002/12/05 15:53 |
| - | 35 | ((709/221 and GUI) and state and command and definition) and message | USPAT; US-PGPUB; | 2002/12/05 15:53 |

| | | | | |
|--|------|---|---|---------------------|
| | 17 | ((709/222 and GUI) and state and command and definition) and message | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 15:56 |
| | 17 | ((709/222 and GUI) and state and command and definition) and message) and FORM | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:08 |
| | 3118 | 709/219 | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:07 |
| | 392 | 709/219 and GUI | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:07 |
| | 103 | (709/219 and GUI) and state and command and definition | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:07 |
| | 94 | ((709/219 and GUI) and state and command and definition) and message | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:08 |
| | 94 | ((709/219 and GUI) and state and command and definition) and message) and FORM | USPAT; US-PGPUB; EPO; JPO | 2002/12/05 16:08 |
| | 2 | ("6336135") or ("5940075").PN. | USPAT; US-PGPUB; EPO; JPO | 2003/04/29 14:27 |
| | 428 | GUI with command and state and change and form and message and remote | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:29 |
| | 248 | (GUI with command and state and change and form and message and remote) and definition and process\$5 and environment | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:58 |
| | 241 | ((GUI with command and state and change and form and message and remote) and definition and process\$5 and environment) and receiv\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:31 |
| | 163 | ((GUI with command and state and change and form and message and remote) and definition and process\$5 and environment) and receiv\$5) and recogniz\$5 and send\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:33 |
| | 1 | ((((GUI with command and state and change and form and message and remote) and definition and process\$5 and environment) and receiv\$5) and recogniz\$5 and send\$5) and menu and dependence ("5412756") or ("6029158") or ("6029159") or ("6044347") or ("6371765") or ("6349290").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:59 |
| | 6 | | USPAT; US-PGPUB; EPO; JPO | 2003/04/29 14:42 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 11 | ("4316720" "4931018" "4964803" "5311422" "5791907" "5823781" "5853292" "6033226" "6149441" "6164974" "6193519").PN. | USPAT | 2003/04/29 14:41 |
| - | 8989 | cook.inv. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:43 |
| - | 237 | cook.inv. and donald | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:43 |
| - | 13 | cook.inv. and donald adj0 A | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:45 |
| - | 13 | cook.inv. and donald with A | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:57 |
| - | 45855 | remedy | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:57 |
| - | 2736 | remedy and protocol | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:58 |
| - | 175 | (remedy and protocol) and GUI | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:58 |
| - | 79 | ((remedy and protocol) and GUI) and definition and process\$5 and environment | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:58 |
| - | 13 | ((remedy and protocol) and GUI) and definition and process\$5 and environment) and menu and dependence | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/29 14:59 |
| - | 8 | ("5760771" "5774123" "5812134" "5821937" "5844552" "5864866" "5877744" "5877766").PN. | USPAT | 2003/04/29 15:02 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 17 | ("5329619" "5465328" "5687373" "5754772" "5835724" "5961601" "6003085" "6012094" "6023722" "6055564" "6068661" "6070197" "6085247" "6088728" "6108689" "6134592" "6216151").PN. | USPAT | 2003/04/29 15:06 |
| - | 0 | message with (definition adj (state adj change) adj command) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 07:08 |
| - | 769 | message with (definition and command) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 07:08 |
| - | 75 | (message with (definition and command)) and (state adj change) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:03 |
| - | 75 | ((message with (definition and command)) and (state adj change)) and receiv\$5 and process\$5 and perform\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 07:16 |
| - | 65 | ((message with (definition and command)) and (state adj change)) and receiv\$5 and process\$5 and perform\$5) and remote | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 07:16 |
| - | 0 | fill\$5 near3 (inventory adj form) with (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:05 |
| - | 0 | creat\$5 near3 (inventory adj form) and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:08 |
| - | 1 | fill\$5 near3 (inventory adj form) and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:06 |
| - | 4 | (fill\$5 or creat\$5 or generat\$5 or produc\$5) near2 (inventory adj form) and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:13 |

| | | | | |
|---|-----|---|---|------------------|
| - | 1 | ((fill\$5 or creat\$5 or generat\$5 or produc\$5) near2-(inventory adj form) and (web or online)) and definition and changes and command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:11 |
| - | 181 | (fill\$5 or creat\$5 or generat\$5 or produc\$5 or establish\$5 or program\$5 or customiz\$5) near2 form and (web or online) and definition and (state adj changes) and command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:22 |
| - | 4 | (fill\$5 or creat\$5 or generat\$5 or produc\$5 or establish\$5 or program\$5) near2 (inventory adj form) and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/01 09:22 |
| - | 5 | (fill\$5 or creat\$5 or generat\$5 or produc\$5 or establish\$5 or program\$5 or customiz\$5) near2 (inventory adj form) and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:31 |
| - | 10 | ("5664110" "5691864" "5715314" "5745681" "5758095" "5845263" "5848399" "5897622" "6014634" "6029139").PN. | USPAT | 2003/05/03 14:38 |
| - | 6 | ("5630070" "5787283" "5878416" "5884276" "5897629" "5940816").PN. | USPAT | 2003/05/01 10:20 |
| - | 1 | ("5940075").PN. | USPAT; US-PGPUB; EPO; JPO | 2003/05/02 13:48 |
| - | 48 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/05/03 09:29 |

| | | | | |
|--|--------|---|---|---------------------|
| | 6 | (definition and (state adj change) and command).and.(message adj processing) same (client and server) and form | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 10:24 |
| | 296 | message with (command and state and definition) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:06 |
| | 189 | (message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5 | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:08 |
| | 187 | ((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:09 |
| | 183 | ((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:10 |
| | 11 | (((((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM) and remote) and directive | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:10 |
| | 22660 | (fill\$5 or creat\$5 or generat\$5 or produc\$5 or establish\$5 or program\$5 or customiz\$5) near2 form and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:29 |
| | 111222 | (fill\$5 or creat\$5 or generat\$5 or produc\$5 or establish\$5 or program\$5 or customiz\$5) same form and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:32 |
| | 5 | (fill\$5 or creat\$5 or generat\$5 or produc\$5 or establish\$5 or program\$5 or customiz\$5) near2 (inventory adj form) and (web or online) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 11:34 |
| | 8 | ("5760771" "5774123" "5812134" "5821937" "5844552" "5864866" "5877744" "5877766").PN. | USPAT | 2003/05/03 12:32 |
| | 138 | ((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM) and remote | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/09/09 15:09 |
| | 4 | ("5708825" "5754772" "5761656" "5802518").PN. | USPAT | 2003/05/03 12:41 |

| | | | | |
|--|-----|---|---|---------------------|
| | 2 | emweb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/10 08:42 |
| | 27 | netdynamics | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/05/03 15:00 |
| | 1 | ("6125352").PN. | USPAT; US-PGPUB; EPO; JPO | 2003/05/03 15:08 |
| | 2 | (("6125352") or ("6058373")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/05/03 15:08 |
| | 9 | ((("5664110") or ("5761656") or ("5745681") or ("5802514") or ("5897622") or ("5973696") or ("6014634") or ("6052710") or ("6249773")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/05/04 14:55 |
| | 10 | ((("5664110") or ("5761656") or ("5745681") or ("5802514") or ("5897622") or ("5973696") or ("6014634") or ("6052710") or ("6249773") or ("6134592")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/09/23 08:55 |
| | 142 | ((((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM) and remote | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/09/09 15:10 |
| | 142 | (((((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM) and remote) and receiv\$5 | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/09/09 15:11 |
| | 142 | (((((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM) and remote) and receiv\$5 and depend\$5 | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/09/09 15:13 |
| | 118 | (((((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM) and remote) and receiv\$5 and depend\$5 and process\$5 and (fix\$5 or station\$5) | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/09/09 15:15 |
| | 94 | (((((message with (command and state and definition)) and process\$5 and recogniz\$5 and depend\$5 and select\$5) and (before or prior)) and FORM) and remote) and receiv\$5 and depend\$5 and process\$5 and (fix\$5 or station\$5)) and environment | USPAT; EPO; JPO; DERWENT; IBM_TDB | 2003/09/09 15:15 |

| | | | | |
|--|----|--|---|---------------------|
| | 46 | (creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/10 07:36 |
| | 0 | ((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and definition and (state adj change) and command | USPAT; US-PGPUB; EPO; JPO | 2003/09/10 07:37 |
| | 36 | ((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and (definition or (state adj change) or command) | USPAT; US-PGPUB; EPO; JPO | 2003/09/22 10:18 |
| | 22 | ("4319338" "4937777" "4953074" "5012402" "5072412" "5122948" "5157595" "5225974" "5297257" "5307463" "5321829" "5398336" "5406473" "5420977" "5572643" "5598536" "5613115" "5623652" "5625781" "5745908" "5768593" "5805442").PN. | USPAT | 2003/09/10 08:19 |
| | 2 | emweb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 10:47 |
| | 2 | emweb and name | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/10 08:43 |
| | 10 | ("5664110") or ("5761656") or ("5745681") or ("5802514") or ("5897622") or ("5973696") or ("6014634") or ("6052710") or ("6249773") or ("6134592")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/09/22 10:20 |
| | 36 | ((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and (definition or (state adj change) or command) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:34 |
| | 16 | ((((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and (definition or (state adj change) or command)) and client and server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 14:57 |
| | 13 | (((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and (definition or (state adj change) or command)) and client and server) and command | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:32 |

| | | | | |
|---|------|--|---|------------------|
| - | 12 | (((((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and (definition or (state adj change) or command)) and client and server) and command) and message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 10:36 |
| - | 12 | (((((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and (definition or (state adj change) or command)) and client and server) and command) and message) and receiv\$5 and process\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:30 |
| - | 12 | (((((creat\$5 same (data adj entry adj form)) and (process\$5 same data) and updat\$5) and (definition or (state adj change) or command)) and client and server) and command) and message) and receiv\$5 and process\$5) and allow\$5 and associat\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 10:47 |
| - | 0 | (receiv\$5 near3 message) same (process\$5 near3 (defi\$6 and change and command)) and client and server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:32 |
| - | 6787 | (receiv\$5 near3 message) same process\$5 and client and server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:32 |
| - | 1567 | ((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and change | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:33 |
| - | 248 | ((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and (state adj change) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:33 |
| - | 184 | ((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and (state adj change)) and recogniz\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 15:09 |
| - | 0 | ((((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and (state adj change)) and recogniz\$5) and (recogniz\$5 near4 dependence) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 14:19 |
| - | 4 | ((((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and (state adj change)) and recogniz\$5) and (implement\$5 near3 (software adj program)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 13:38 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 48 | (("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/09/22 14:18 |
| - | 180 | ((((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and (state adj change)) and recogniz\$5) and depend\$7 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 15:09 |
| - | 2 | ((((((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and (state adj change)) and recogniz\$5) and depend\$7) and (get\$5 near3 form) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 14:22 |
| - | 173 | ((((((receiv\$5 near3 message) same process\$5 and client and server) and command and definition and (state adj change)) and recogniz\$5) and depend\$7) and updat\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 14:23 |

| | | | | |
|--|----|---|---|------------------|
| | 41 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN.) and depend\$7 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 15:09 |
| | 21 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN.) and depend\$7) and recogniz\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/22 15:10 |
| | 0 | message with (definition same command same (state adj change)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 07:54 |
| | 4 | message same (definition same command same (state adj change)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 07:54 |

| | | | | |
|---|----|---|---|---------------------|
| - | 10 | ((("5664110") or ("5761656") or ("5745681") or ("5802514") or ("5897622") or ("5973696") or ("6014634") or ("6052710") or ("6249773") or ("6134592")).PN. | USPAT; US_PGPUB; EPO; JPO | 2003/09/23 09:43 |
| - | 1 | ((("5664110") or ("5761656") or ("5745681") or ("5802514") or ("5897622") or ("5973696") or ("6014634") or ("6052710") or ("6249773") or ("6134592")).PN.) and definition and command and state and recogniz\$5 and depend\$7 | USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 09:49 |
| - | 22 | ("4319338" "4937777" "4953074" "5012402" "5072412" "5122948" "5157595" "5225974" "5297257" "5307463" "5321829" "5398336" "5406473" "5420977" "5572643" "5598536" "5613115" "5623652" "5625781" "5745908" "5768593" "5805442").PN. | USPAT | 2003/09/23 09:48 |
| - | 3 | ((("4319338" "4937777" "4953074" "5012402" "5072412" "5122948" "5157595" "5225974" "5297257" "5307463" "5321829" "5398336" "5406473" "5420977" "5572643" "5598536" "5613115" "5623652" "5625781" "5745908" "5768593" "5805442").PN.) and definition and command and state and recogniz\$5 and depend\$7 | USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 13:40 |
| - | 40 | gui and (header and definition? and (state adj change?) and command?) and (client and server) and recogniz\$5 and depend\$7 | USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 10:03 |
| - | 37 | (gui and (header and definition? and (state adj change?) and command?) and (client and server) and recogniz\$5 and depend\$7) and message | USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/01 14:53 |
| - | 4 | agranat.inv. with ian | USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 10:10 |

| | | | | |
|--|----|---|---|---------------------|
| | 48 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/09/23 13:39 |
| | 10 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN.) and definition and command and state and recogniz\$5 and depend\$7 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:02 |

| | | | | |
|--|----|--|---|------------------|
| | 10 | <p>((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN.) and definition and command and state and recogniz\$5 and depend\$7) and process\$5 and receiv\$5</p> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 14:12 |
| | 1 | <p>message same client same server same form same definition same state same command</p> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 14:13 |
| | 73 | <p>BMC with patrol</p> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:02 |
| | 22 | <p>(BMC with patrol) and definition and command and state and recogniz\$5 and depend\$7</p> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:13 |
| | 22 | <p>((BMC with patrol) and definition and command and state and recogniz\$5 and depend\$7) and message</p> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:02 |
| | 0 | <p>(definition same (state adj change) same command) and (message adj processing) and (client and server) and recogniz\$5 and process\$5 and receiv\$5</p> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:10 |
| | 0 | <p>(definition same (state adj change) same command) and (message adj processing) and (client and server) and recogniz\$5 and receiv\$5</p> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:10 |
| | | <p>receiv\$5</p> | DERWENT; IBM_TDB | |

| | | | | |
|--|-----|--|---|---------------------|
| | 43 | (definition and (state adj change) and command) and (message adj processing) and (client and server) and recogniz\$5 and receiv\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:12 |
| | 213 | remedy with software | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/09/23 15:12 |
| | 15 | (remedy with software) and definition and command and state and recogniz\$5 and depend\$7 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/01 14:52 |
| | 15 | (remedy with software) and definition and command and state and recogniz\$5 and depend\$7 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/01 14:52 |
| | 37 | (gui and (header and definition? and (state adj change?) and command?) and (client and server) and recogniz\$5 and depend\$7) and message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/01 14:53 |
| | 47 | gui and (header and definition? and (state adj change?) and command?) and (client and server) and (header and definition? and (state adj change?) and command?) | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 14:54 |
| | 29 | ((definition or (state adj change) or command) and (message adj processing) and (client and server)) and application) and (header and definition? and (state adj change?) and command?) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/01 14:55 |

| | | | | |
|--|----|---|---------------------------------|---------------------|
| | 48 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202"))).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 14:58 |
| | 0 | ((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202"))).PN.) and message and definition and (state adj change) and command | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 14:59 |

| | | | | |
|---|----|---|---------------------------------|---------------------|
| - | 15 | <p>((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN.) and message and definition and state and command</p> | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 15:07 |
| - | 13 | <p>((("5734828") or ("6021262") or ("5819272") or ("5961610") or ("6226644") or ("6226644") or ("6292830") or ("5915113") or ("5926481") or ("4949248") or ("5568616") or ("6233620") or ("6292933") or ("6304893") or ("6336135") or ("5636376") or ("5675798") or ("5539909") or ("5890163") or ("5973696") or ("6035343") or ("6282702") or ("5944783") or ("5918039") or ("5313581") or ("5408602") or ("6253193") or ("6226659") or ("6226659") or ("5828840") or ("6163797") or ("5793970") or ("6052710") or ("5509010") or ("5831612") or ("5950002") or ("5555396") or ("5781530") or ("5446898") or ("5465357") or ("5481709") or ("5495611") or ("5864669") or ("6065041") or ("5940075") or ("5293619") or ("5634010") or ("5802514") or ("5812779") or ("5963202")).PN.) and message and definition and state and command) and depend\$7</p> | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 15:06 |
| - | 4 | ((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN. | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 15:07 |
| - | 0 | ((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN.) and message and definition-and-state-and-command | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 15:13 |

| | | | | |
|---|----|--|---|------------------|
| - | 1 | ((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN.) and message and definition and state | USPAT; US-PGPUB; EPO; JPO | 2003/10/03 09:32 |
| - | 0 | ((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN.) and definition and state and command | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 15:13 |
| - | 0 | ((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN.) and definition and state and return | USPAT; US-PGPUB; EPO; JPO | 2003/10/01 15:13 |
| - | 3 | emweb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 11:47 |
| - | 2 | 6456308.URPN. | USPAT | 2003/10/02 10:47 |
| - | 16 | 5973696.URPN. | USPAT | 2003/10/02 10:53 |
| - | 0 | 5973696.URPN. and definition and command and stat\$3 and process\$5 and receiv\$5 and depend\$5 and recogniz\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 11:34 |
| - | 0 | 5973696.URPN. and definition and command and change and process\$5 and receiv\$5 and depend\$5 and recogniz\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 11:35 |
| - | 0 | 5973696.URPN. and command and change and process\$5 and receiv\$5 and depend\$5 and recogniz\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 11:35 |
| - | 1 | 5973696.URPN. and command and change and process\$5 and receiv\$5 and depend\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 11:35 |
| - | 0 | 20030177175.URPN. | USPAT | 2003/10/02 11:42 |
| - | 2 | emweb and message and receiv\$5 and process\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 12:03 |
| - | 2 | (emweb and message and receiv\$5 and process\$5) and definition and command and stat\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 12:05 |

| | | | | |
|---|---------|---|---|------------------|
| - | 2 | ((emweb and message and receiv\$5 and process\$5) and definition and command and stat\$5) and chang\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 13:36 |
| - | 2 | (((emweb and message and receiv\$5 and process\$5) and definition and command and stat\$5) and chang\$6) and fix\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 13:58 |
| - | 3 | castedo.inv. with ellerman | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:03 |
| - | 0 | actv with inc. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:04 |
| - | 377 | actv | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:04 |
| - | 0 | ("ep1089201").PN. | USPAT; US-PGPUB; EPO; JPO | 2003/10/02 14:05 |
| - | 0 | ep1089201 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:05 |
| - | 3858279 | EP "1089201" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:05 |
| - | 0 | EP1089201 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:05 |
| - | 0 | ("EPO1089201").PN. | USPAT; US-PGPUB; EPO; JPO | 2003/10/02 14:05 |
| - | 0 | ("EPO1089201").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:06 |

| | | | | |
|---|---|--|---|---------------------|
| - | 0 | ("EP1089201").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:06 |
| - | 7 | ("1089201").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/02 14:06 |
| - | 1 | ((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN.) and message and definition and state and depend\$5 | USPAT; US-PGPUB; EPO; JPO | 2003/10/03 09:44 |
| - | 1 | ((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN.) and message and definition and state and depend\$5) and recogniz\$5 | USPAT; US-PGPUB; EPO; JPO | 2003/10/03 10:59 |
| - | 1 | (((("5973696") or ("5897622") or ("5745681") or ("6052710")).PN.) and message and definition and state and depend\$5) and recogniz\$5) and (contain\$5 or includ\$5) | USPAT; US-PGPUB; EPO; JPO | 2003/10/03 10:59 |